Bath cascade spout for wall mounting - Brushed Durabrass (23kt Gold)

MEM

13 430 740



- 200mm projection
- cascade
- plate 180 mm x 60 mm
- hole diameter 40 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure
- WRAS 1809017

Brushed Durabrass (23kt Gold)	13 430 740-28
Chrome	13 430 740-00
Brushed Platinum	13 430 740-06
Platinum	13 430 740-08
Dark Chrome	13 430 740-19
Matte Black	13 430 740-33
Brushed Champagne (22kt Gold)	13 430 740-46
Champagne (22kt Gold)	13 430 740-47
Brushed Dark Platinum	13 430 740-99

Recommended miscellaneous




Concealed wall elbow - 35 085 970 90
- max. recess depth 163 mm
- min. recess depth 90 mm

Bath cascade spout for wall mounting - Brushed Durabrass (23kt Gold)


MEM

13 430 740


mm [inches]



Flow rate chart



Trajectory diagram






Certificates

LGA_19258. WRAS_1809017.

Bath cascade spout for wall mounting - Brushed Durabrass (23kt Gold)

MEM

13 430 740



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 31 014 00 90	fixing set	1	2
2	09 17 97 056 90	holder	1	2
3	90 24 05 008 00 90	nipple set	1	2
4	09 31 11 144 90	pin	2	2
5	09 11 74 042-28	spout	1	20
6	90 29 03 059 00 90	insert	1	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com