Deck-mounted basin spout without pop-up waste - Chrome

SERIES SPECIFIC

13 716 882 Product version from 3/13/2017



- 166mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- hole diameter 35 mm
- rosette Ø 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

For Touchfree control please order eSet Touchfree with temperature adjustment

Chrome	13 716 882-00
Dark Chrome	13 716 882-19
Brushed Durabrass (23kt Gold)	13 716 882-28
Brushed Bronze	13 716 882-42
Brushed Champagne (22kt Gold)	13 716 882-46
Champagne (22kt Gold)	13 716 882-47
Brushed Chrome	13 716 882-93
Brushed Dark Platinum	13 716 882-99


DORN BRACHT

Deck-mounted basin spout without pop-up waste - Chrome


SERIES SPECIFIC

13 716 882 Product version from 3/13/2017

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	Executive Order no. 1007	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		

DORN BRACHT

Deck-mounted basin spout without pop-up waste - Chrome

SERIES SPECIFIC

13 716 882 Product version from 3/13/2017

Certificates and sustainability


LGA_29	GDV_0400	WRAS_241202

DORN BRACHT

Deck-mounted basin spout without pop-up waste - Chrome

SERIES SPECIFIC

13 716 882 Product version from 3/13/2017



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
4	09 30 22 027 90	connection	1.00	60
1	90 28 22 319 00-00	spout	1.00	10
3	09 30 30 037 90	screw	1.00	2
8	09 31 20 065 90	plug	1.00	2
9	04 30 04 019 00 90	hose	1.00	2
5	09 14 10 130 90	seal	1.00	2
2	09 27 89 114-00	rosette	1.00	10
6	09 11 10 055 10 90	connection	1.00	2
10	04 23 10 009 01 90	fixing set	1.00	2
7	90 14 10 060 00 90	seal	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com