MEM Wall-mounted basin spout without pop-up waste - Chrome

MEM

13 800 782 Product version from 3/10/2014



- 200mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- WRAS
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Chrome	13 800 782-00
Brushed Platinum	13 800 782-06
Platinum	13 800 782-08
Dark Chrome	13 800 782-19
Brushed Durabrass (23kt Gold)	13 800 782-28
Brushed Dark Brass	13 800 782-39
Brushed Champagne (22kt Gold)	13 800 782-46
Champagne (22kt Gold)	13 800 782-47
Brushed Dark Platinum	13 800 782-99

Recommended miscellaneous




Concealed wall elbow - 35 085 970 90
- max. recess depth 163 mm
- min. recess depth 90 mm


MEM Wall-mounted basin spout without pop-up waste - Chrome

13 800 782 Product version from 3/10/2014

mm [inches]



Flow rate chart



Codes & Standards

Scottish Water Byelaws	UK Water Supply Regulations

MEM Wall-mounted basin spout without pop-up waste - Chrome


13 800 782 Product version from 3/10/2014

Certificates and sustainability

WRAS_2203

MEM Wall-mounted basin spout without pop-up waste - Chrome

13 800 782 Product version from 3/10/2014



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 24 03 081 10 90	extension	1.00	2
3	90 29 03 109 00 90	aerator	1.00	2
2	90 27 78 035 00-00	rosette	1.00	10

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com