MEM Wall-mounted basin spout without pop-up waste - Brushed Durabrass (23kt Gold)

MEM

13 800 782



- 200mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- WRAS 2203039
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Brushed Durabrass (23kt Gold)	13 800 782-28
Chrome	13 800 782-00
Brushed Platinum	13 800 782-06
Platinum	13 800 782-08
Dark Chrome	13 800 782-19
Brushed Champagne (22kt Gold)	13 800 782-46
Champagne (22kt Gold)	13 800 782-47
Brushed Dark Platinum	13 800 782-99

Recommended miscellaneous




Concealed wall elbow - 35 085 970 90
- max. recess depth 163 mm
- min. recess depth 90 mm

DORN BRACHT


MEM Wall-mounted basin spout without pop-up waste - Brushed Durabrass (23kt Gold)

MEM

13 800 782
mm [inches]



Flow rate chart




Certificates

WRAS_2203039.

MEM Wall-mounted basin spout without pop-up waste - Brushed Durabrass (23kt Gold)

13 800 782



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 24 03 081 10 90	extension	1	2
2	90 27 78 035 00-28	rosette	1	20
3	90 29 03 109 00 90	aerator	1	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com