VAIA Wall-mounted basin spout without pop-up waste - Brushed Durabrass (23kt Gold)

VAIA

13 800 809



- 190mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette Ø 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 5.7 l/min
- lead-free
- WRAS 1801016
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

For Touchfree control please order eSet Touchfree WITH or WITHOUT temperature adjustment

Brushed Durabrass (23kt Gold)	13 800 809-28
Chrome	13 800 809-00
Brushed Platinum	13 800 809-06
Platinum	13 800 809-08
Dark Chrome	13 800 809-19
Brushed Champagne (22kt Gold)	13 800 809-46
Champagne (22kt Gold)	13 800 809-47
Brushed Dark Platinum	13 800 809-99

Recommended miscellaneous




Concealed wall elbow - 35 085 970 90
●max. recess depth 163 mm
●min. recess depth 90 mm


VAIA Wall-mounted basin spout without pop-up waste - Brushed Durabrass (23kt Gold)

VAIA


13 800 809
mm [inches]




Flow rate chart



Trajectory diagram






Certificates

WRAS_2306002. LGA_29290.

DORN BRACHT

VAIA Wall-mounted basin spout without pop-up waste - Brushed Durabrass (23kt Gold)

13 800 809



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 24 03 269 90	nipple	1	2
2	09 14 10 084 90	seal	1	2
3	09 27 80 011-28	rosette	1	20
4	90 28 22 310 00-28	spout	1	20

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com