DORN BRACHT

Wall-mounted basin spout without pop-up waste - Dark Chrome

TARA

13 800 882



Fits: TARA, META

- 190mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 40 mm
- rosette Ø 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

For Touchfree control please order eSet Touchfree WITH or WITHOUT temperature adjustment

Dark Chrome	13 800 882-19
Chrome	13 800 882-00
Brushed Durabrass (23kt Gold)	13 800 882-28
Brushed Champagne (22kt Gold)	13 800 882-46
Champagne (22kt Gold)	13 800 882-47
Brushed Chrome	13 800 882-93
Brushed Dark Platinum	13 800 882-99

Recommended miscellaneous



Concealed wall elbow - 35 085 970 90
- max. recess depth 163 mm
- min. recess depth 90 mm


DORN BRACHT

Wall-mounted basin spout without pop-up waste - Dark Chrome


TARA

13 800 882

mm [inches]



Flow rate chart



Certificates

LGA_29119.

DORN BRACHT

Wall-mounted basin spout without pop-up waste - Dark Chrome

TARA

13 800 882

