Wall-mounted basin spout without pop-up waste - Brushed Durabrass (23kt Gold)

TARA

13 800 882



Fits: TARA, META

- 190mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 40 mm
- rosette Ø 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

For Touchfree control please order eSet Touchfree WITH or WITHOUT temperature adjustment

Brushed Durabrass (23kt Gold)	13 800 882-28
Chrome	13 800 882-00
Dark Chrome	13 800 882-19
Brushed Champagne (22kt Gold)	13 800 882-46
Champagne (22kt Gold)	13 800 882-47
Brushed Chrome	13 800 882-93
Brushed Dark Platinum	13 800 882-99

Recommended miscellaneous




Concealed wall elbow - 35 085 970 90
- max. recess depth 163 mm
- min. recess depth 90 mm

DORN BRACHT


Wall-mounted basin spout without pop-up waste - Brushed Durabrass (23kt Gold)

TARA

13 800 882
mm [inches]



Flow rate chart



Certificates


WRAS_1811020. LGA_29119.

DORN BRACHT

Wall-mounted basin spout without pop-up waste - Brushed Durabrass (23kt Gold)

TARA

13 800 882



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 24 03 081 10 90	extension	1	2
2	90 14 10 026 00 90	seal	1	2
3	09 27 22 503-28	rosette	1	20
4	90 23 01 019 00-28	aerator	1	20

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com