DORN BRACHT

COYA Bath spout for wall mounting - Chrome

COYA

13 801 404 Product version from 1/1/2026



- 200mm projection
- circular normal flow
- hole diameter 37 mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 24.6 l/min at 3 bar flow pressure

Chrome	13 801 404-00
Brushed Platinum	13 801 404-06
Dark Chrome	13 801 404-19
Brushed Durabrass (23kt Gold)	13 801 404-28
Brushed Dark Brass (PVD)	13 801 404-39
Brushed Bronze (PVD)	13 801 404-42
Brushed Dark Bronze (PVD)	13 801 404-43
Brushed Champagne (22kt Gold)	13 801 404-46
Champagne (22kt Gold)	13 801 404-47
Brushed Dark Platinum	13 801 404-99

Recommended miscellaneous




Concealed wall elbow - 35 085 970 90
- min. recess depth 90 mm
- max. recess depth 163 mm

COYA Bath spout for wall mounting - Chrome


COYA

13 801 404 Product version from 1/1/2026

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	

COYA Bath spout for wall mounting - Chrome


13 801 404 Product version from 1/1/2026

Certificates and sustainability

LGA_39 WRAS_260502 IAPMO_4976 (

COYA Bath spout for wall mounting - Chrome

13 801 404 Product version from 1/1/2026



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	90 24 03 539 00 90	nipple	1.00	14
1	09 29 03 124 90	aerator	1.00	14

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com