VAIA Bath spout for wall mounting - Chrome

VAIA

13 801 809 Product version from 3/13/2017



- 200mm projection
- circular normal flow
- hole diameter 37 mm
- rosette Ø 60 mm
- 1/2" connection
- max. flow 21.5 l/min at 3 bar flow pressure
- WRAS

Chrome	13 801 809-00
Brushed Platinum	13 801 809-06
Platinum	13 801 809-08
Dark Chrome	13 801 809-19
Brushed Durabrass (23kt Gold)	13 801 809-28
Brushed Dark Brass	13 801 809-39
Brushed Bronze	13 801 809-42
Brushed Champagne (22kt Gold)	13 801 809-46
Champagne (22kt Gold)	13 801 809-47
Brushed Dark Platinum	13 801 809-99

Recommended miscellaneous




Concealed wall elbow - 35 085 970 90
- max. recess depth 163 mm
- min. recess depth 90 mm

VAIA Bath spout for wall mounting - Chrome


VAIA

13 801 809 Product version from 3/13/2017

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen

13 801 809 Product version from 3/13/2017


Certificates and sustainability

WRAS_2306 LGA_29

DORN BRACHT

VAIA Bath spout for wall mounting - Chrome

13 801 809 Product version from 3/13/2017



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 24 03 269 90	nipple	1.00	2
3	09 27 80 014-00	rosette	1.00	10
4	90 28 22 315 00-00	spout	1.00	10
2	09 14 10 084 90	seal	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com