TARA Deck valve clockwise closing cold or hot - Chrome

TARA

20 000 892 Product version from 4/1/2025




- hole diameter 32 mm
- rosette Ø 55 mm
- WRAS

Chrome	20 000 892-00
Brushed Platinum	20 000 892-06
Platinum	20 000 892-08
Dark Chrome	20 000 892-19
Brushed Durabrass (23kt Gold)	20 000 892-28
Matte Black	20 000 892-33
Brushed Dark Brass	20 000 892-39
Brushed Bronze	20 000 892-42
Brushed Champagne (22kt Gold)	20 000 892-46
Champagne (22kt Gold)	20 000 892-47
Brushed Chrome	20 000 892-93
Brushed Dark Platinum	20 000 892-99


TARA Deck valve clockwise closing cold or hot - Chrome

20 000 892 Product version from 4/1/2025

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	Scottish Water Byelaws	UK Water Supply Regulations

TARA Deck valve clockwise closing cold or hot - Chrome

20 000 892 Product version from 4/1/2025


Certificates and sustainability

WRAS_2112 IAPMO_4976

TARA Deck valve clockwise closing cold or hot - Chrome

20 000 892 Product version from 4/1/2025

Parts for other finishes can be found here: Brushed Platinum



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
6	09 21 02 140-00	sleeve	1.00	10
2	09 20 89 010-00	handle	1.00	60
9	90 17 11 040 31 90	side panel	1.00	2
7	09 27 89 105-00	rosette	1.00	10
3	90 12 12 007 00-00	base	1.00	10
4	90 30 11 029 00 90	disc	1.00	2
5	90 30 30 075 00 90	screw	1.00	2
8	90 14 10 043 00 90	seal	1.00	2
1	90 20 89 010 10-00	handle	1.00	10

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com