TARA Three-hole basin mixer with pop-up waste - Brushed Dark Platinum

TARA

20 705 882




- 166mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 145 mm
- height up to aerator 65 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.


Brushed Dark Platinum	20 705 882-99
Chrome	20 705 882-00
Brushed Platinum	20 705 882-06
Platinum	20 705 882-08
Dark Chrome	20 705 882-19
Brushed Durabrass (23kt Gold)	20 705 882-28
Matte Black	20 705 882-33
Brushed Champagne (22kt Gold)	20 705 882-46
Champagne (22kt Gold)	20 705 882-47
Brushed Chrome	20 705 882-93

TARA Three-hole basin mixer with pop-up waste - Brushed Dark Platinum

20 705 882



Flow rate chart




Certificates

LGA_38417. GDV_0400289.

TARA Three-hole basin mixer with pop-up waste - Brushed Dark Platinum

20 705 882

Parts for other
finishes can be found
here: Chrome



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 28 22 370 00-99	spout	1	45
2	90 31 20 109 00 90	plug	1	2
3	09 31 11 099 90	pin	1	2
4	09 14 10 015 90	seal	1	2
5	09 28 10 140-99	ring	1	45
6	04 30 04 019 00 90	hose	2	2
7	04 23 10 009 02 90	fixing set	1	2
8	04 20 88 052 10-99	handle	2	60
9	04 18 20 022 00-99	angle	2	45
10	09 20 88 052-99	handle	2	45
11	90 12 12 219 00-99	base	2	45
12	90 30 11 029 00 90	disc	2	2
13	90 30 30 075 00 90	screw	2	2
14	09 21 02 140-99	sleeve	2	45
15	09 27 89 105-99	rosette	2	45
16	90 14 10 043 00 90	seal	2	2
17	90 17 11 040 50 90	side panel	1	2
18	90 17 11 040 51 90	side panel	1	2
19	10 125 970-99	Basin Waste with push fastening 1 1/4" - Brushed Dark Platinum	1	45

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com