# META Three-hole basin mixer with pop-up waste - Chrome

META

20 713 661 Product version from 7/1/2023



- 168mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 60 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Only suitable for basins with an overflow.

| | |
|---|---|
| Chrome | 20 713 661-00 |
| Brushed Platinum | 20 713 661-06 |
| Dark Chrome | 20 713 661-19 |
| Light Gold | 20 713 661-26 |
| Brushed Light Gold | 20 713 661-27 |
| Matte Black | 20 713 661-33 |
| Brushed Dark Brass | 20 713 661-39 |
| Brushed Bronze | 20 713 661-42 |
| Brushed Champagne (22kt Gold) | 20 713 661-46 |
| Champagne (22kt Gold) | 20 713 661-47 |
| Brushed Chrome | 20 713 661-93 |
| Brushed Dark Platinum | 20 713 661-99 |

## Recommended miscellaneous




**High pressure hoses -** 12 506 970 90
●2x 3/8" x 1/2" x 500mm high pressure hose


# META Three-hole basin mixer with pop-up waste - Chrome

META

20 713 661 Product version from 7/1/2023




## Flow rate chart




## Codes & Standards

| | | | |
|---|---|---|---|
| DIN 4109 | EN 200 | ISO 3822 | Scottish Water Byelaws |
| UK Water Supply Regulations | Ü-Zeichen | | |

# META Three-hole basin mixer with pop-up waste - Chrome



20 713 661 Product version from 7/1/2023

## Certificates and sustainability


| | | |
|---|---|---|
| DVGW_DW-6501DN0 | LGA_29 | WRAS_250502 |

DORN BRACHT

# META Three-hole basin mixer with pop-up waste - Chrome



20 713 661 Product version from 7/1/2023




## Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|---|---|---|---|---|
| 17 | 04 17 11 023 10 90 | distributor | 2.00 | 2 |
| 18 | 10 125 970-00 | Basin Waste with push fastening 1 1/4" - Chrome | 1.00 | 2 |
| 2 | 90 20 66 016 00-00 | handle ( hot ) | 1.00 | 10 |
| 5 | 09 31 11 112 90 | pin | 1.00 | 60 |
| 11 | 04 30 04 096 00 90 | hose | 2.00 | 2 |
| 7 | 09 30 01 287 90 | connection | 1.00 | 60 |
| 16 | 04 23 10 032 78 90 | fixing set | 2.00 | 2 |
| 9 | 04 23 10 044 07 90 | fixing set | 1.00 | 2 |
| 15 | 09 30 11 099 90 | disc | 2.00 | 2 |
| 12 | 90 20 66 015 00-00 | handle ( cold ) | 1.00 | 10 |
| 6 | 09 27 66 002-00 | rosette | 1.00 | 60 |
| 8 | 09 31 11 044 90 | pin | 1.00 | 2 |
| 1 | 90 28 22 325 00-00 | spout | 1.00 | 10 |
| 10 | 90 17 11 020 10 90 | distributor | 1.00 | 2 |
| 14 | 90 90 03 153 00 90 | top | 1.00 | 2 |
| 13 | 04 17 11 058 53 90 | side panel | 1.00 | 2 |
| 3 | 04 17 11 058 52 90 | side panel | 1.00 | 2 |
| 4 | 90 90 03 152 00 90 | top | 1.00 | 2 |

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com