TARA Three-hole basin mixer with pop-up waste - Brushed Chrome

TARA

20 713 892



- 165mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free
- WRAS 1703013
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.


Brushed Chrome	20 713 892-93
Chrome	20 713 892-00
Brushed Platinum	20 713 892-06
Platinum	20 713 892-08
Dark Chrome	20 713 892-19
Brushed Durabrass (23kt Gold)	20 713 892-28
Matte Black	20 713 892-33
Brushed Champagne (22kt Gold)	20 713 892-46
Champagne (22kt Gold)	20 713 892-47
Brushed Dark Platinum	20 713 892-99

DORN BRACHT


TARA Three-hole basin mixer with pop-up waste - Brushed Chrome

TARA

20 713 892



Flow rate chart




Certificates

LGA_18925. ETA_18514. WRAS_2212026. ACS_20 ACC LY 736. GDV_0400289.

TARA Three-hole basin mixer with pop-up waste - Brushed Chrome

20 713 892

Parts for other finishes can be found here: Chrome



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 28 22 213 01-93	spout	1	20
2	90 23 01 028 03-93	aerator	1	20
3	09 30 30 057 90	screw	1	2
4	09 11 10 087 10-93	connection	1	20
5	04 20 89 030 80-93	pull-rod	1	20
6	09 28 10 133-93	ring	1	20
7	04 30 04 019 00 90	hose	2	2
8	09 14 05 047 90	seal	1	2
9	04 30 11 038 00 90	fixing set	1	2
10	09 31 11 011 90	pin	1	2
11	90 20 89 010 10-93	handle	2	20
12	09 20 89 010-93	handle	2	20
13	90 12 12 007 00-93	base	2	20
14	90 30 11 029 00 90	disc	2	2
15	90 30 30 075 00 90	screw	2	2
16	09 21 02 140-93	sleeve	2	20
17	09 27 89 105-93	rosette	2	20
18	90 14 10 043 00 90	seal	2	2
19	90 17 11 040 51 90	side panel	2	2
20	90 23 30 040 00-93	threaded connector	4	20
21	90 11 01 001 00-93	pop-up waste	1	20

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com