MEM Three-hole basin mixer with pop-up waste - Brushed Platinum

MEM

20 715 782



- 200mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 320 mm
- height up to aerator 195 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 8.3 l/min
- lead-free
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Brushed Platinum	20 715 782-06
Chrome	20 715 782-00
Platinum	20 715 782-08
Dark Chrome	20 715 782-19
Brushed Durabrass (23kt Gold)	20 715 782-28
Brushed Champagne (22kt Gold)	20 715 782-46
Champagne (22kt Gold)	20 715 782-47
Brushed Dark Platinum	20 715 782-99

Recommended miscellaneous




High pressure hoses - 12 506 970 90
●2x 3/8" x 1/2" x 500mm high pressure hose

DORN BRACHT


MEM Three-hole basin mixer with pop-up waste - Brushed Platinum

MEM

20 715 782



Flow rate chart




Certificates

WRAS_2306057. LGA_18594. ETA_18154. GDV_0400289.

MEM Three-hole basin mixer with pop-up waste - Brushed Platinum

20 715 782



DORN BRACHT

MEM Three-hole basin mixer with pop-up waste - Brushed Platinum

MEM

20 715 782

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 28 22 155 00-06	spout	1	10
2	04 20 78 030 80-06	pull-rod	1	10
3	09 20 78 030-06	handle	1	10
4	09 31 09 080-06	pull-rod	1	10
5	09 27 78 032-06	rosette	1	10
6	09 14 10 166 90	seal	1	2
7	09 11 10 054 10 90	connection	1	2
8	90 90 03 152 00 90	top	1	2
9	04 17 11 058 52 90	side panel	1	2
10	09 14 10 130 90	seal	1	2
11	09 16 01 016 90	ring	1	2
12	09 23 01 052 90	flow reducer	1	2
13	09 11 10 055 10 90	connection	1	2
14	04 30 04 016 00 90	hose	2	60
15	04 23 10 009 01 90	fixing set	1	2
16	90 20 78 002 04-06	handle (cold)	1	10
17	90 90 03 153 00 90	top	1	2
18	04 17 11 058 53 90	side panel	1	2
19	04 23 10 032 78 90	fixing set	2	2
20	04 17 11 023 10 90	distributor	2	2
21	90 23 30 040 00-06	threaded connector	4	10
22	90 11 01 001 00-06	pop-up waste	1	10
23	09 30 11 059 90	disc	2	2
24	09 23 10 012 90	nut	2	2
25	90 20 78 002 05-06	handle (hot)	1	10