TARA Single-hole basin mixer with raised base without pop-up waste - Brushed Chrome

22 533 892



- 200mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 425 mm
- height up to aerator 280 mm
- hole diameter 35 mm
- rosette Ø 59 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

for use on countertop bowls


Brushed Chrome	22 533 892-93
Chrome	22 533 892-00
Brushed Platinum	22 533 892-06
Platinum	22 533 892-08
Dark Chrome	22 533 892-19
Brushed Durabrass (23kt Gold)	22 533 892-28
Matte Black	22 533 892-33
Brushed Champagne (22kt Gold)	22 533 892-46
Champagne (22kt Gold)	22 533 892-47
Brushed Dark Platinum	22 533 892-99

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com


TARA Single-hole basin mixer with raised base without pop-up waste - Brushed Chrome

22 533 892

mm [inches]



Flow rate chart




Certificates

ETA_18512. WRAS_1810003. LGA_18920. GDV_0400194.

TARA Single-hole basin mixer with raised base without pop-up waste - Brushed Chrome

22 533 892

Parts for other finishes can be found here: Chrome



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 28 22 214 01-93	spout	1	20
2	90 20 89 010 10-93	handle	2	20
3	09 20 89 010-93	handle	2	20
4	90 12 12 007 00-93	base	2	20
5	90 30 11 029 00 90	disc	2	2
6	90 30 30 075 00 90	screw	2	2
7	90 90 03 151 00 90	top	2	2
8	09 30 30 054 90	screw	1	2
9	09 18 40 063-93	sleeve	1	20
10	04 30 04 105 00 90	hose	2	2
11	09 28 10 132-93	ring	1	20
12	09 14 10 134 90	seal	1	2
13	04 30 11 038 00 90	fixing set	1	2
14	09 31 11 000 90	pin	1	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com