TARA Bath mixer for wall mounting with hand shower set - Brushed Durabrass (23kt Gold)

TARA

25 133 892



- spout: circular, air-enriched flow
- max. flow 22 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- 240mm projection
- rotary diverter for bath/shower
- slide-on rosettes Ø 65 mm
- rosette for shower holder Ø 50mm
- 1/2" connection
- gauge 150 mm - 15 mm
- metal shower hose 1250mm with integrated anti-twist protection

Intrinsic protection against back flow.

Stand pipes combination possible on request (x-TRA SERVICE).


Brushed Durabrass (23kt Gold)	25 133 892-28
Chrome	25 133 892-00
Brushed Platinum	25 133 892-06
Platinum	25 133 892-08
Dark Chrome	25 133 892-19
Matte Black	25 133 892-33
Brushed Champagne (22kt Gold)	25 133 892-46
Champagne (22kt Gold)	25 133 892-47
Brushed Chrome	25 133 892-93
Brushed Dark Platinum	25 133 892-99

TARA Bath mixer for wall mounting with hand shower set - Brushed Durabrass (23kt Gold)


TARA

25 133 892

mm [inches]



Flow rate chart




Certificates

WRAS_2210004.	LGA_18933.	Belgaqua_21-026-27_4.

TARA Bath mixer for wall mounting with hand shower set - Brushed Durabrass (23kt Gold)

25 133 892

Parts for other finishes can be found here: Chrome



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	25 100 892-28	TARA Bath mixer for wall mounting - Brushed Durabrass (23kt Gold)	1	-
	Spare part can no longer be ordered, please order the replacement item			
2	90 14 20 026 00 90	seal	1	2
3	28 050 892-28	TARA Wall bracket - Brushed Durabrass (23kt Gold)	1	20
4	90 30 02 072 00-28	Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Durabrass (23kt Gold)	1	20
5	90 12 11 140 30-28	shower	1	20

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com