DORN BRACHT

LISSÉ Three-hole single-lever bath mixer for bath rim or tile edge installation - Chrome

27 412 845 Product version from 4/1/2024



- spout: circular, air-enriched flow
- max. flow 16.9 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- 200mm projection
- automatic bath/shower diverter
- height of mixer 141 mm
- height up to aerator 88 mm
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 50mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Chrome	27 412 845-00
Brushed Platinum	27 412 845-06
Dark Chrome	27 412 845-19
Brushed Light Gold (PVD)	27 412 845-27
Matte Black	27 412 845-33
Brushed Chrome	27 412 845-93
Brushed Dark Platinum	27 412 845-99

Recommended miscellaneous




Perfecto installation kit - 12 614 970 90

Recommended miscellaneous


Decorative caps for Perfecto - Chrome 12 801 970-00
- 1 pair

LISSÉ Three-hole single-lever bath mixer for bath rim or tile edge installation - Chrome

27 412 845 Product version from 4/1/2024



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	EN 1717
ISO 3822	Ü-Zeichen		

LISSÉ Three-hole single-lever bath mixer for bath rim or tile edge installation - Chrome


27 412 845 Product version from 4/1/2024

Certificates and sustainability

IAPMO_4976	LGA_29	Belgaqua_24-008-2

LISSÉ Three-hole single-lever bath mixer for bath rim or tile edge installation - Chrome

27 412 845 Product version from 4/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	13 512 845-00	spout	1.00	82
1	29 300 845-00	connection	1.00	82
3	27 702 979-00	Hand shower set for bath rim or tile edge installation - Chrome	1.00	26
4	90 24 03 168 00 90	nipple	1.00	14
5	04 30 04 099 00 90	hose	1.00	14