# Five-hole bath mixer for deck mounting with diverter

COYA

27 522 424 Product version from 1/1/2026



- spout: circular, air-enriched flow
- max. flow 20.4 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- 220mm projection
- automatic bath/shower diverter
- height of mixer 312 mm
- height up to aerator 215 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 60mm
- rosette for spout Ø 60mm
- rosette for deck valve Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.


| | |
|---|---|
| Chrome | 27 522 424-00 |
| Brushed Platinum | 27 522 424-06 |
| Dark Chrome | 27 522 424-19 |
| Brushed Durabrass (23kt Gold) | 27 522 424-28 |
| Brushed Dark Brass (PVD) | 27 522 424-39 |
| Brushed Bronze (PVD) | 27 522 424-42 |
| Brushed Dark Bronze (PVD) | 27 522 424-43 |
| Brushed Champagne (22kt Gold) | 27 522 424-46 |
| Champagne (22kt Gold) | 27 522 424-47 |
| Brushed Dark Platinum | 27 522 424-99 |

DORN BRACHT

# Five-hole bath mixer for deck mounting with diverter

COYA

27 522 424 Product version from 1/1/2026




## Codes & Standards

| | | | |
|---|---|---|---|
| ASME A112.18.1 | cUPC | DIN 4109 | EN 1717 |
| ISO 3822 | Ü-Zeichen | | |

## Certificates and sustainability


| | | |
|---|---|---|
| LGA_29 | Belgaqua_25-341-2 | IAPMO_4976 ( |

# Five-hole bath mixer for deck mounting with diverter

COYA

27 522 424 Product version from 1/1/2026

Parts for other finishes can be found here: Brushed Platinum




## Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|---|---|---|---|---|
| 1 | 90 12 11 140 42-00 | shower set | 1.00 | 26 |
| 2 | 90 20 40 006 00-00 | diverter | 1.00 | 82 |
| 4 | 90 28 22 139 00-00 | spout | 1.00 | 82 |
| 5 | 90 20 40 010 02-00 | handle | 1.00 | 82 |
| 3 | 90 20 40 010 01-00 | handle | 1.00 | 82 |

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com