COYA Bath shower set for bath rim or tile edge installation - Chrome

COYA

27 632 404 Product version from 1/1/2026



- spout: circular, air-enriched flow
- max. flow 18.2 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- 220mm projection
- height of mixer 312 mm
- height up to aerator 215 mm
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 60mm
- rosette for single-lever mixer Ø 55mm
- rosette for complete hand shower set Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Chrome	27 632 404-00
Brushed Platinum	27 632 404-06
Dark Chrome	27 632 404-19
Brushed Durabrass (23kt Gold)	27 632 404-28
Brushed Dark Brass (PVD)	27 632 404-39
Brushed Bronze (PVD)	27 632 404-42
Brushed Dark Bronze (PVD)	27 632 404-43
Brushed Champagne (22kt Gold)	27 632 404-46
Champagne (22kt Gold)	27 632 404-47
Brushed Dark Platinum	27 632 404-99

Recommended miscellaneous



Perfecto installation kit - 12 614 970 90

Recommended miscellaneous



Perfecto installation kit - 12 614 970 90


Recommended miscellaneous

Decorative caps for Perfecto - Chrome 12 801 970-00
●1 pair


COYA Bath shower set for bath rim or tile edge installation - Chrome

COYA

27 632 404 Product version from 1/1/2026



Flow rate chart



Codes & Standards


ASME A112.18.1	cUPC	DIN 4109	EN 1717
ISO 3822	Ü-Zeichen		

Certificates and sustainability

LGA_38 Belgaqua_25-341-2 IAPMO_4976 (

COYA Bath shower set for bath rim or tile edge installation - Chrome

27 632 404 Product version from 1/1/2026



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
4	90 12 11 140 42-00	shower set	1.00	26
3	90 20 40 006 02-00	handle	1.00	82
2	90 28 22 139 00-00	spout	1.00	82
1	90 20 40 005 01-00	handle	1.00	82

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com