DORN BRACHT

Bidet spray - Chrome

SERIES SPECIFIC

27 701 670 Product version from 4/1/2024



- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Chrome	27 701 670-00
Brushed Platinum	27 701 670-06
Platinum	27 701 670-08
Dark Chrome	27 701 670-19
Brushed Light Gold	27 701 670-27
Brushed Durabrass (23kt Gold)	27 701 670-28
Brushed Dark Brass	27 701 670-39
Brushed Bronze	27 701 670-42
Brushed Champagne (22kt Gold)	27 701 670-46
Champagne (22kt Gold)	27 701 670-47
Brushed Chrome	27 701 670-93
Brushed Dark Platinum	27 701 670-99

Recommended miscellaneous




Concealed wall elbow - 35 085 970 90
●max. recess depth 163 mm
●min. recess depth 90 mm

Bidet spray - Chrome


SERIES SPECIFIC

27 701 670 Product version from 4/1/2024

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Ü-Zeichen

Certificates and sustainability


LGA_29

DORN BRACHT

Bidet spray - Chrome

SERIES SPECIFIC

27 701 670 Product version from 4/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
4	09 23 01 097 90	back-flow preventer	1.00	2
1	09 30 09 029 90	key	1.00	2
6	90 30 02 001 00-00	hose	1.00	2
3	90 12 11 107 00-00	shower	1.00	2
5	90 11 03 002 00-00	connection	1.00	2
2	12 861 970-00	accessories	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com