LULU Hand shower set with individual rosettes FlowReduce - Chrome

LULU

27 808 710



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:

- rosette for wall elbow 78 x 55mm
- rosette for shower holder 78 x 55mm
- 1/2" wall elbow
- 3/8" shower outlet

Notes:

Chrome	27 808 710-00 0010
Brushed Platinum	27 808 710-06 0010

Recommended miscellaneous




Concealed wall elbow - 35 085 970 90
●max. recess depth 163 mm
●min. recess depth 90 mm

LULU Hand shower set with individual rosettes FlowReduce - Chrome

LULU

27 808 710

mm [inches]



Codes & Standards


10 CFR Appendix S	ASME A112.18.1	cUPC	DIN 4109
ISO 3822	NRCan	Ü-Zeichen	

Certificates and sustainability

LGA_29	IAPMO_4976	IAPMO_G-31

LULU Hand shower set with individual rosettes FlowReduce - Chrome

27 808 710



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	90 30 02 072 00-00	Metal shower hose 1/2" x 3/8" x 1250 mm - Chrome	1.00	26
2	28 050 710-00	LULU Wall bracket - Chrome	1.00	-
	Spare part can no longer be ordered, please order the replacement item			
1	28 450 710-00	LULU Wall elbow - Chrome	1.00	26
4	90 12 11 140 41-00	shower	1.00	26

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com