LULU Wall elbow - Chrome

28 450 710 Product version up to 7/6/2018



- 3/8" shower outlet
- rosette 78 x 55 mm
- 1/2" connection
- WRAS

Intrinsic protection against back flow.

Chrome	28 450 710-00
Brushed Platinum	28 450 710-06

Recommended miscellaneous





Concealed wall elbow - 35 085 970 90
- max. recess depth 163 mm
- min. recess depth 90 mm

LULU Wall elbow - Chrome


28 450 710 Product version up to 7/6/2018

mm [inches]





Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	EN 1717	Scottish Water Byelaws
UK Water Supply Regulations			

LULU Wall elbow - Chrome


28 450 710 Product version up to 7/6/2018

Certificates and sustainability

Belgaqua_21-381-2 WRAS_2310 IAPMO_4976

LULU Wall elbow - Chrome

28 450 710 Product version up to 7/6/2018



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
7	09 31 11 026 90	pin	1.00	2
9	09 11 03 026 20-00	connection	1.00	60
6	09 30 30 054 90	screw	1.00	2
10	09 31 11 005 90	pin	1.00	2
3	09 24 03 116 20 90	nipple	1.00	2
4	09 14 10 008 90	seal	1.00	2
12	09 24 03 107 20 90	nipple	1.00	2
5	09 14 10 142 90	seal	1.00	2
1	09 16 01 014 90	ring	1.00	2
8	09 27 71 002-00	rosette	1.00	10
2	90 23 01 040 00 90	back-flow preventer	1.00	2
11	90 14 10 077 00 90	seal	1.00	2
13	90 21 02 069 00-00	cover	1.00	10

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com