MADISON Shower head - Chrome

MADISON

28 508 360 Product version from 4/1/2025



- spray head Ø 94mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:

- 200-mm projection
- ball-joint pivotable through 30°
- rosette Ø 55 mm
- 1/2" connection

Notes:

Chrome	28 508 360-00
Chrome	28 508 360-00 0010
Brushed Platinum	28 508 360-06 0010
Brushed Platinum	28 508 360-06
Platinum	28 508 360-08 0010
Platinum	28 508 360-08
Durabrass (23kt Gold)	28 508 360-09 0010
Durabrass (23kt Gold)	28 508 360-09
Brushed Durabrass (23kt Gold)	28 508 360-28 0010
Brushed Durabrass (23kt Gold)	28 508 360-28
Brushed Dark Brass	28 508 360-39 0010
Brushed Dark Brass	28 508 360-39
Brushed Bronze	28 508 360-42
Brushed Bronze	28 508 360-42 0010
Brushed Dark Platinum	28 508 360-99 0010
Brushed Dark Platinum	28 508 360-99

Recommended miscellaneous




Concealed wall elbow - 35 085 970 90
- max. recess depth 163 mm
- min. recess depth 90 mm


MADISON Shower head - Chrome

28 508 360 Product version from 4/1/2025

mm [inches]




Flow rate chart



MADISON Shower head - Chrome

28 508 360 Product version from 4/1/2025



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 27 35 003-00	rosette	1.00	10
4	04 12 11 120 00-00	shower	1.00	10
3	09 11 03 011-00	connection	1.00	10
2	90 14 10 026 00 90	seal	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com