COYA Shower head - Chrome

COYA

28 508 404 Product version from 1/1/2026



- spray head Ø 94mm
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 5.1 l/min
- with anti-scale system

Technical data:

- 197mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2" connection

Notes:

Chrome	28 508 404-00
Brushed Platinum	28 508 404-06
Dark Chrome	28 508 404-19
Brushed Durabrass (23kt Gold)	28 508 404-28
Brushed Dark Brass (PVD)	28 508 404-39
Brushed Bronze (PVD)	28 508 404-42
Brushed Dark Bronze (PVD)	28 508 404-43
Brushed Champagne (22kt Gold)	28 508 404-46
Champagne (22kt Gold)	28 508 404-47
Brushed Dark Platinum	28 508 404-99

Recommended miscellaneous




Concealed wall elbow - 35 085 970 90
- min. recess depth 90 mm
- max. recess depth 163 mm

COYA Shower head - Chrome


COYA

28 508 404 Product version from 1/1/2026

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen


28 508 404 Product version from 1/1/2026

Certificates and sustainability

LGA_39 WRAS_260402

COYA Shower head - Chrome

28 508 404 Product version from 1/1/2026



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 27 40 024 00-00	rosette	1.00	82
5	09 11 03 011-00	connection	1.00	26
4	90 31 11 116 00 90	plug	1.00	14
2	09 14 10 098 90	seal	1.00	14
6	90 14 20 002 00 90	seal	1.00	14
3	09 31 11 048 90	pin	1.00	14
8	90 12 05 111 00-00	shower	1.00	82
7	09 23 01 086 90	flow reducer	1.00	82

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com