LULU Shower head - Chrome

LULU

28 508 710



- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:

- 200-mm projection
- ball-joint pivotable through 30°
- rosette 78 x 55 mm
- 1/2" connection

Notes:

Chrome	28 508 710-00
Chrome	28 508 710-00 0010
Brushed Platinum	28 508 710-06 0010
Brushed Platinum	28 508 710-06

Recommended miscellaneous




Concealed wall elbow - 35 085 970 90
- max. recess depth 163 mm
- min. recess depth 90 mm


LULU Shower head - Chrome

28 508 710

mm [inches]




Flow rate chart



LULU Shower head - Chrome

28 508 710



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
4	09 11 03 011-00	connection	1.00	10
5	04 12 11 110 00-00	shower	1.00	10
2	09 31 11 048 90	pin	1.00	2
1	09 27 71 004-00	rosette	1.00	10
3	09 14 10 098 90	seal	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com