Rain shower with wall fixing FlowReduce 300 mm - Chrome

SERIES SPECIFIC

28 676 970 Product version from 4/1/2025



- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:

- 450mm projection
- rosette Ø 60 mm
- 1/2" connection

Notes:

- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Chrome	28 676 970-00
Brushed Platinum	28 676 970-06
Platinum	28 676 970-08
Dark Chrome	28 676 970-19
Light Gold	28 676 970-26
Brushed Light Gold	28 676 970-27
Brushed Durabrass (23kt Gold)	28 676 970-28
Matte Black	28 676 970-33
Brushed Dark Brass	28 676 970-39
Brushed Bronze	28 676 970-42
Brushed Dark Bronze (PVD)	28 676 970-43
Brushed Champagne (22kt Gold)	28 676 970-46
Champagne (22kt Gold)	28 676 970-47
Brushed Chrome	28 676 970-93
Brushed Dark Platinum	28 676 970-99

Required miscellaneous

Concealed wall elbow - 35 085 970 90




DORN BRACHT

Rain shower with wall fixing FlowReduce 300 mm - Chrome


SERIES SPECIFIC

28 676 970 Product version from 4/1/2025

mm [inches]



Flow rate chart




DORN BRACHT

Rain shower with wall fixing FlowReduce 300 mm - Chrome

SERIES SPECIFIC

28 676 970 Product version from 4/1/2025



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	09 14 10 150 90	seal	2.00	2
8	09 23 01 102 90	flow reducer	1.00	2
2	09 17 20 120 90	holder	1.00	2
5	90 11 03 070 00-00	pipe	1.00	10
1	04 30 31 032 00 90	fixing set	1.00	2
7	09 16 01 014 90	ring	1.00	2
6	90 12 05 096 00-00	shower	1.00	10
10	90 30 09 069 00 90	key	1.00	2
4	09 27 97 015-00	rosette	1.00	10
9	90 18 40 278 00 90	insert	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com