DORN BRACHT

# COYA Rainshower with wall fixing - Chrome

COYA

28 677 404 Product version from 1/1/2026



- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

**Technical data:**

- 450mm projection
- rosette 67 x 67 mm
- 1/2" connection

**Notes:**

| | |
|---|---|
| Chrome | 28 677 404-00 |
| Brushed Platinum | 28 677 404-06 |
| Dark Chrome | 28 677 404-19 |
| Brushed Durabrass (23kt Gold) | 28 677 404-28 |
| Brushed Dark Brass (PVD) | 28 677 404-39 |
| Brushed Bronze (PVD) | 28 677 404-42 |
| Brushed Dark Bronze (PVD) | 28 677 404-43 |
| Brushed Champagne (22kt Gold) | 28 677 404-46 |
| Champagne (22kt Gold) | 28 677 404-47 |
| Brushed Dark Platinum | 28 677 404-99 |

## Recommended miscellaneous




**Concealed wall elbow -** 35 085 970 90
- min. recess depth 90 mm
- max. recess depth 163 mm

# COYA Rainshower with wall fixing - Chrome


COYA

28 677 404 Product version from 1/1/2026

mm [inches]
1 : 10




## Flow rate chart




## Codes & Standards

| | | |
|---|---|---|
| DIN 4109 | ISO 3822 | Ü-Zeichen |

## Certificates and sustainability


LGA_39

DORN BRACHT

# COYA Rainshower with wall fixing - Chrome



28 677 404 Product version from 1/1/2026




## Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|---|---|---|---|---|
| 6 | 90 31 11 117 00 90 | plug | 1.00 | 14 |
| 7 | 90 11 03 070 00-00 | pipe | 1.00 | 26 |
| 10 | 90 18 40 260 00-00 | connection | 1.00 | 26 |
| 5 | 90 31 11 038 00 90 | pin | 1.00 | 14 |
| 9 | 09 23 01 101 90 | flow reducer | 1.00 | 14 |
| 1 | 04 30 31 032 00 90 | fixing set | 1.00 | 14 |
| 8 | 09 16 01 014 90 | ring | 1.00 | 14 |
| 4 | 90 27 40 021 00-00 | rosette | 1.00 | 82 |
| 12 | 90 30 09 069 00 90 | key | 1.00 | 14 |
| 11 | 90 12 05 120 00-00 | shower | 1.00 | 82 |
| 2 | 09 17 20 120 90 | holder | 1.00 | 14 |
| 3 | 09 14 10 150 90 | seal | 2.00 | 14 |

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com