SERIES SPECIFIC Rain shower with ceiling fixing FlowReduce 300 mm - Chrome

SERIES SPECIFIC

28 684 970 Product version from 4/1/2025



- rain shower Ø 300 mm
- Material rain shower: plastic
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:

- rosette Ø 60 mm
- 1/2" connection

Notes:

- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Chrome	28 684 970-00
Dark Chrome	28 684 970-19
Light Gold	28 684 970-26
Brushed Light Gold	28 684 970-27
Matte Black	28 684 970-33
Brushed Bronze	28 684 970-42
Brushed Chrome	28 684 970-93
Brushed Dark Platinum	28 684 970-99


Required miscellaneous

Concealed wall elbow - 35 085 970 90




SERIES SPECIFIC Rain shower with ceiling fixing FlowReduce 300 mm - Chrome

28 684 970 Product version from 4/1/2025
mm [inches]




Flow rate chart



SERIES SPECIFIC Rain shower with ceiling fixing FlowReduce 300 mm - Chrome

28 684 970 Product version from 4/1/2025



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
4	09 23 01 039 90	sieve	1.00	2
5	09 16 01 014 90	ring	1.00	2
2	09 14 10 141 90	seal	1.00	2
9	90 30 09 069 00 90	key	1.00	2
6	09 23 01 102 90	flow reducer	1.00	2
1	09 27 22 040-00	rosette	1.00	10
7	04 18 40 276 00 90	insert	1.00	2
3	09 11 03 080-00	connection	1.00	10
8	90 12 05 101 00-00	shower	1.00	10

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com