COYA Rainshower with ceiling fixing 300 mm - Chrome

COYA

28 687 404 Product version from 1/1/2026



- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:

- rosette Ø 60 mm optional
- 1/2" connection

Notes:

- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Chrome	28 687 404-00
Brushed Platinum	28 687 404-06
Dark Chrome	28 687 404-19
Brushed Durabrass (23kt Gold)	28 687 404-28
Brushed Dark Brass (PVD)	28 687 404-39
Brushed Bronze (PVD)	28 687 404-42
Brushed Dark Bronze (PVD)	28 687 404-43
Brushed Champagne (22kt Gold)	28 687 404-46
Champagne (22kt Gold)	28 687 404-47
Brushed Dark Platinum	28 687 404-99

Recommended miscellaneous




Concealed wall elbow - 35 085 970 90
- min. recess depth 90 mm
- max. recess depth 163 mm

COYA Rainshower with ceiling fixing 300 mm - Chrome

COYA

28 687 404 Product version from 1/1/2026

mm [inches]



Codes & Standards

DIN 4109	ISO 3822	Ü-Zeichen


Certificates and sustainability

LGA_39

DORN BRACHT

COYA Rainshower with ceiling fixing 300 mm - Chrome

28 687 404 Product version from 1/1/2026



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
7	90 18 40 260 00-00	connection	1.00	26
2	09 14 10 141 90	seal	1.00	14
8	90 12 05 120 00-00	shower	1.00	82
9	90 30 09 069 00 90	key	1.00	14
5	09 16 01 014 90	ring	1.00	14
6	09 23 01 101 90	flow reducer	1.00	14
1	90 27 40 026 00-00	rosette	1.00	82
3	09 11 03 080-00	connection	1.00	26
4	09 23 01 039 90	sieve	1.00	14

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com