# Rain shower with ceiling fixing 400 mm - Brushed Durabrass (23kt Gold)

TARA

28 699 970



Fits: TARA, LISSÉ, VAIA, META

- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing
- WRAS 1707033

Product change as of 1st April 2024: max. flow 20l/min

| | |
|---|---|
| Brushed Durabrass (23kt Gold) | 28 699 970-28 |
| Chrome | 28 699 970-00 |
| Brushed Platinum | 28 699 970-06 |
| Platinum | 28 699 970-08 |
| Dark Chrome | 28 699 970-19 |
| Matte Black | 28 699 970-33 |
| Brushed Champagne (22kt Gold) | 28 699 970-46 |
| Champagne (22kt Gold) | 28 699 970-47 |
| Brushed Chrome | 28 699 970-93 |
| Brushed Dark Platinum | 28 699 970-99 |

## Recommended miscellaneous




**Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
- min. recess depth 90 mm

# Rain shower with ceiling fixing 400 mm - Brushed Durabrass (23kt Gold)


TARA

28 699 970

mm [inches]




## Flow rate chart




## Certificates

LGA_29238.


WRAS_2212012.

DVGW_DW-6517DN0118.

# Rain shower with ceiling fixing 400 mm - Brushed Durabrass (23kt Gold)

TARA

28 699 970




## Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|---|---|---|---|---|
| 1 | 09 27 22 040-28 | rosette | 1 | 20 |
| 2 | 09 14 10 141 90 | seal | 1 | 2 |
| 3 | 09 11 03 080-28 | connection | 1 | 20 |
| 4 | 09 23 01 075 90 | insert | 1 | 2 |
| 5 | 04 12 05 090 00-28 | shower | 1 | 20 |
| 6 | 90 30 09 069 00 90 | key | 1 | 2 |