Rain shower with wall fixing FlowReduce 300 x 240 mm - Chrome

SERIES SPECIFIC

28 764 980 Product version from 6/1/2024



- 450mm projection
- rain shower 300 x 240mm
- rain flow
- max. flow 12 l/min
- rosette 60 x 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Function from: 12 l/min


Chrome	28 764 980-00
Brushed Platinum	28 764 980-06
Platinum	28 764 980-08
Dark Chrome	28 764 980-19
Brushed Light Gold	28 764 980-27
Brushed Durabrass (23kt Gold)	28 764 980-28
Matte Black	28 764 980-33
Brushed Dark Brass	28 764 980-39
Brushed Champagne (22kt Gold)	28 764 980-46
Champagne (22kt Gold)	28 764 980-47
Brushed Chrome	28 764 980-93
Brushed Dark Platinum	28 764 980-99

DORN BRACHT


Rain shower with wall fixing FlowReduce 300 x 240 mm - Chrome

SERIES SPECIFIC

28 764 980 Product version from 6/1/2024



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Ü-Zeichen

Rain shower with wall fixing FlowReduce 300 x 240 mm - Chrome

SERIES SPECIFIC

28 764 980 Product version from 6/1/2024

Certificates and sustainability


LGA_38

DORN BRACHT

Rain shower with wall fixing FlowReduce 300 x 240 mm - Chrome

SERIES SPECIFIC

28 764 980 Product version from 6/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
12	90 12 05 063 20-00	shower	1.00	10
3	09 31 11 084 90	pin	2.00	2
4	09 31 11 099 90	pin	1.00	2
9	90 31 20 087 00-00	plug	1.00	10
7	90 14 10 011 00 90	seal	1.00	2
8	09 31 11 040 90	pin	1.00	2
6	04 28 22 247 20-00	pipe	1.00	10
1	04 30 31 032 00 90	fixing set	1.00	2
10	09 31 11 036 90	pin	1.00	2
2	09 30 11 160 90	disc	1.00	2
5	09 27 98 016-00	rosette	1.00	10
11	09 17 01 180-00	connection	1.00	10