Rain shower with wall fixing FlowReduce 300 x 240 mm - Brushed Platinum

IMO

28 764 980



Fits: IMO, MEM, CL.1


- 450mm projection
- rain shower 300 x 240mm
- rain flow
- max. flow 12 l/min
- rosette 60 x 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing
- WRAS
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Function from: 12 l/min

Brushed Platinum	28 764 980-06
Chrome	28 764 980-00
Platinum	28 764 980-08
Dark Chrome	28 764 980-19
Brushed Durabrass (23kt Gold)	28 764 980-28
Matte Black	28 764 980-33
Brushed Champagne (22kt Gold)	28 764 980-46
Champagne (22kt Gold)	28 764 980-47
Brushed Chrome	28 764 980-93
Brushed Dark Platinum	28 764 980-99


Rain shower with wall fixing FlowReduce 300 x 240 mm - Brushed Platinum

IMO

28 764 980



Flow rate chart




Rain shower with wall fixing FlowReduce 300 x 240 mm - Brushed Platinum

IMO

28 764 980

Parts for other finishes can be found here: Chrome



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 31 032 00 90	fixing set	1	2
2	09 30 11 160 90	disc	1	2
3	09 31 11 084 90	pin	2	2
4	09 31 11 099 90	pin	1	2
5	09 27 98 016-06	rosette	1	10
6	04 28 22 247 20-06	pipe	1	10
7	90 14 10 011 00 90	seal	1	2
8	09 31 11 040 90	pin	1	2
9	90 31 20 087 00-06	plug	1	10
10	09 31 11 036 90	pin	1	2
11	09 17 01 180-06	connection	1	10
12	90 12 05 063 20-06	shower	1	10

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com