Rain shower with ceiling fixing FlowReduce 300 x 240 mm - Chrome

SERIES SPECIFIC

28 774 980 Product version from 6/1/2024



- rain shower 300 x 240mm
- rain flow
- max. flow 12 l/min
- Function from: 12 l/min
- distance between ceiling and lower edge of the shower 165mm
- rosette 60 x 60, as required
- 1/2" connection
- with anti-scale system
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB


Chrome	28 774 980-00
Brushed Platinum	28 774 980-06
Platinum	28 774 980-08
Dark Chrome	28 774 980-19
Brushed Light Gold	28 774 980-27
Brushed Durabrass (23kt Gold)	28 774 980-28
Matte Black	28 774 980-33
Brushed Dark Brass	28 774 980-39
Brushed Champagne (22kt Gold)	28 774 980-46
Champagne (22kt Gold)	28 774 980-47
Brushed Chrome	28 774 980-93
Brushed Dark Platinum	28 774 980-99

Rain shower with ceiling fixing FlowReduce 300 x 240 mm - Chrome


SERIES SPECIFIC

28 774 980 Product version from 6/1/2024

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Ü-Zeichen

Certificates and sustainability


LGA_38

DORN BRACHT

Rain shower with ceiling fixing FlowReduce 300 x 240 mm - Chrome

SERIES SPECIFIC

28 774 980 Product version from 6/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	90 12 05 063 20-00	shower	1.00	10
1	09 27 98 017-00	rosette	1.00	10
2	90 11 10 092 00-00	connection	1.00	10