META Two-way diverter for bath rim or tile edge installation - Chrome

29 140 660 Product version from 7/1/2023



- automatic bath/shower diverter
- hole diameter 32 mm
- rosette Ø 60 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure
- WRAS


Chrome	29 140 660-00
Brushed Platinum	29 140 660-06
Dark Chrome	29 140 660-19
Light Gold	29 140 660-26
Brushed Light Gold	29 140 660-27
Matte Black	29 140 660-33
Brushed Dark Brass	29 140 660-39
Brushed Bronze	29 140 660-42
Brushed Chrome	29 140 660-93
Brushed Dark Platinum	29 140 660-99

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com

META Two-way diverter for bath rim or tile edge installation - Chrome

META

29 140 660 Product version from 7/1/2023



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	


Certificates and sustainability

WRAS_1911 LGA_29 IAPMO_4976

META Two-way diverter for bath rim or tile edge installation - Chrome

29 140 660 Product version from 7/1/2023

Parts for other finishes can be found here: Brushed Platinum



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	09 20 71 002-00	handle	1.00	10
5	09 27 66 004-00	rosette	1.00	10
8	09 14 40 002 90	seal	1.00	2
10	90 17 09 051 00 90	diverter	1.00	2
9	09 23 10 004 90	nut	1.00	2
6	09 14 10 030 90	seal	1.00	2
4	09 16 01 012-00	ring	1.00	10
1	09 20 71 003-00	handle	1.00	10
2	90 30 30 014 00 90	screw	1.00	2
7	09 14 05 014 90	seal	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com