IMO Two-hole basin mixer with high spout without pop-up waste - Chrome

IMO

29 218 671 Product version from 4/1/2024




- 220mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 361 mm
- height up to aerator 317 mm
- hole diameter spout 35 mm
- hole diameter valve 35 mm
- 1x screw-in M 10 x 1 pressure hose, leak-tested
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Chrome	29 218 671-00
Brushed Platinum	29 218 671-06
Dark Chrome	29 218 671-19
Brushed Light Gold (PVD)	29 218 671-27
Matte Black	29 218 671-33
Brushed Gold (PVD)	29 218 671-37
Brushed Chrome	29 218 671-93
Brushed Dark Platinum	29 218 671-99


IMO Two-hole basin mixer with high spout without pop-up waste - Chrome

IMO

29 218 671 Product version from 4/1/2024



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen

IMO Two-hole basin mixer with high spout without pop-up waste - Chrome


29 218 671 Product version from 4/1/2024

Certificates and sustainability

LGA_38	WRAS_250402

IMO Two-hole basin mixer with high spout without pop-up waste - Chrome

29 218 671 Product version from 4/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 20 67 029 00-00	handle	1.00	26
10	04 23 10 009 01 90	fixing set	1.00	14
7	09 31 11 012 90	pin	1.00	14
11	09 27 78 034-00	rosette	1.00	26
8	04 30 11 038 92 90	fixing set	1.00	14
9	04 30 04 104 00 90	hose	4.00	14
2	09 28 30 026-00	cover	1.00	26
6	90 27 67 019 00-00	rosette	1.00	26
4	09 24 04 266 90	nut	1.00	14
12	90 28 22 419 00-00	spout	1.00	26
5	90 15 05 042 00 90	cartridge	1.00	14
3	09 14 10 091 90	seal	1.00	14

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com