VAIA Single-lever bath mixer for bath rim or tile edge installation - Chrome

VAIA

29 300 809 Product version from 4/1/2024




- rosette 78 mm
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure
- WRAS

Chrome	29 300 809-00
Brushed Platinum	29 300 809-06
Platinum	29 300 809-08
Dark Chrome	29 300 809-19
Brushed Light Gold (PVD)	29 300 809-27
Brushed Durabrass (23kt Gold)	29 300 809-28
Brushed Gold (PVD)	29 300 809-37
Brushed Dark Brass (PVD)	29 300 809-39
Brushed Bronze (PVD)	29 300 809-42
Brushed Dark Bronze (PVD)	29 300 809-43
Brushed Champagne (22kt Gold)	29 300 809-46
Champagne (22kt Gold)	29 300 809-47
Brushed Dark Platinum	29 300 809-99


VAIA Single-lever bath mixer for bath rim or tile edge installation - Chrome

VAIA

29 300 809 Product version from 4/1/2024



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	

VAIA Single-lever bath mixer for bath rim or tile edge installation - Chrome

29 300 809 Product version from 4/1/2024


Certificates and sustainability

LGA_29 IAPMO_4976 WRAS_250502

VAIA Single-lever bath mixer for bath rim or tile edge installation - Chrome

29 300 809 Product version from 4/1/2024

Parts for other finishes can be found here: Brushed Platinum



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
7	90 15 05 039 00 90	cartridge	1.00	14
9	09 30 11 060 90	disc	1.00	14
14	09 14 05 004 90	seal	2.00	14
8	09 14 10 201 90	seal	2.00	14
4	09 28 30 037-00	cover	1.00	26
12	04 30 04 021 00 90	hose	2.00	14
11	04 23 30 041 00 90	threaded connector	1.00	14
5	90 27 80 013 00-00	rosette	1.00	26
13	09 24 03 185-00	nipple	2.00	26
6	09 24 04 448 90	nut	1.00	14
10	04 23 10 044 02 90	fixing set	1.00	14
1	90 31 20 087 00-00	plug	1.00	26
2	90 31 11 063 00 90	pin	1.00	14
3	90 20 80 073 00-00	handle	1.00	26

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com