DORN BRACHT

TARA ULTRA POT FILLER Cold-water valve - Chrome

TARA ULTRA

30 805 875 Product version from 10/1/2024



- 500mm projection
- pivoting spout
- laminar flow
- cold water only
- max. flow 5.7 l/min at 3 bar flow pressure
- min. recess depth 125 mm
- max. recess depth 80 mm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Chrome	30 805 875-00
Brushed Platinum	30 805 875-06
Platinum	30 805 875-08
Durabrass (23kt Gold)	30 805 875-09
Dark Chrome	30 805 875-19
Brushed Durabrass (23kt Gold)	30 805 875-28
Brushed Dark Brass	30 805 875-39
Brushed Bronze	30 805 875-42
Brushed Champagne (22kt Gold)	30 805 875-46
Champagne (22kt Gold)	30 805 875-47
Brushed Chrome	30 805 875-93
Brushed Dark Platinum	30 805 875-99

Required miscellaneous




POT FILLER Concealed wall elbow 35 087 970 90

-


- max. recess depth 125 mm
- min. recess depth 80 mm

TARA ULTRA POT FILLER Cold-water valve - Chrome

30 805 875 Product version from 10/1/2024



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
NSF372	NSF61	Scottish Water Byelaws	UK Water Supply Regulations
Ü-Zeichen			


30 805 875 Product version from 10/1/2024

Certificates and sustainability

LGA_29 IAPMO_N-4 IAPMO_6 WRAS_240702 IAPMO_4976 (

TARA ULTRA POT FILLER Cold-water valve - Chrome

30 805 875 Product version from 10/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 20 62 025-00	handle	1.00	10
9	09 28 10 136 90	ring	1.00	2
6	90 30 01 213 00 90	connection	1.00	2
3	90 23 01 026 11-00	aerator	1.00	10
12	09 21 02 028-00	lid	1.00	10
11	09 28 10 139 90	ring	1.00	2
10	09 14 10 015 90	seal	2.00	2
8	90 16 04 001 00 90	spring	1.00	2
4	09 20 62 027-00	handle	1.00	10
2	90 90 03 146 00 90	top	1.00	2
5	90 90 03 171 00 90	top	1.00	2
7	90 27 87 039 00-00	rosette	1.00	10

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com