IMO Single-lever shower mixer for wall mounting - Chrome

33 301 670 Product version from 3/9/2015 to 7/17/2018



- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm

Intrinsic protection against back flow.


Chrome	33 301 670-00
Brushed Platinum	33 301 670-06
Dark Chrome	33 301 670-19
Brushed Light Gold	33 301 670-27
Matte Black	33 301 670-33
Brushed Chrome	33 301 670-93

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com


IMO Single-lever shower mixer for wall mounting - Chrome

33 301 670 Product version from 3/9/2015 to 7/17/2018

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	EN 1717	ISO 3822	Ü-Zeichen

IMO Single-lever shower mixer for wall mounting - Chrome

33 301 670 Product version from 3/9/2015 to 7/17/2018


Certificates and sustainability

Belgaqua_21-025-2 LGA_9

IMO Single-lever shower mixer for wall mounting - Chrome

33 301 670 Product version from 3/9/2015 to 7/17/2018

Parts for other finishes can be found here: Brushed Platinum



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
10	09 14 10 008 90	seal	2.00	2
11	09 23 10 048-00	nut	2.00	10
6	04 11 04 030 00 90	connection	2.00	2
8	09 14 10 119 90	seal	2.00	2
15	09 24 03 115 20-00	nipple	1.00	10
4	09 31 20 017 90	plug	1.00	2
7	09 27 62 004-00	rosette	2.00	10
1	09 20 67 004-00	handle	1.00	10
2	09 24 04 107-00	nut	1.00	10
5	90 15 05 064 00 90	cartridge	1.00	2
12	09 18 40 059-00	sleeve	2.00	10
3	90 31 11 030 00 90	pin	1.00	2
13	90 23 01 141 00 90	back-flow preventer	1.00	2
9	09 29 05 005 20 90	nipple	2.00	60
14	90 14 10 032 00 90	seal	1.00	2
16	90 21 02 069 00-00	cover	1.00	10

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com