META Single-lever basin mixer without pop-up waste - Chrome

META

33 525 660 Product version up to 1/23/2020




- 105mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 138 mm
- height up to aerator 57 mm
- hole diameter 35 mm
- rosette Ø 50 mm optional
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS


Chrome	33 525 660-00
Brushed Platinum	33 525 660-06
Platinum	33 525 660-08
Dark Chrome	33 525 660-19
Light Gold	33 525 660-26
Brushed Light Gold	33 525 660-27
Red	33 525 660-29
Orange	33 525 660-30
Dark Green	33 525 660-31
Matte Black	33 525 660-33
Brushed Dark Brass	33 525 660-39
Brushed Bronze	33 525 660-42
Brushed Champagne (22kt Gold)	33 525 660-46
Champagne (22kt Gold)	33 525 660-47
Brushed Chrome	33 525 660-93
Brushed Dark Platinum	33 525 660-99

META Single-lever basin mixer without pop-up waste - Chrome

33 525 660 Product version up to 1/23/2020



Flow rate chart



Codes & Standards

DIN 4109	EN 817	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		

META Single-lever basin mixer without pop-up waste - Chrome


33 525 660 Product version up to 1/23/2020

Certificates and sustainability

LGA_29	DVGW_DW-6506DN0	WRAS_2003

META Single-lever basin mixer without pop-up waste - Chrome

33 525 660 Product version up to 1/23/2020



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
11	04 30 04 100 00 90	hose	2.00	2
6	90 11 06 212 00-00	spout	1.00	10
9	09 31 11 012 90	pin	1.00	2
1	90 20 66 009 00-00	handle	1.00	10
10	04 30 11 038 00 90	fixing set	1.00	2
8	09 27 66 006-00	rosette	1.00	10
4	09 24 04 266 90	nut	1.00	2
7	09 14 10 202 90	seal	1.00	2
3	09 14 10 120 90	seal	1.00	2
5	90 15 05 044 00 90	cartridge	1.00	2
2	09 28 30 043-00	cover	1.00	10

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com