# CYO Single-lever basin mixer without pop-up waste - Chrome

CYO

33 525 811



- 177mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Must not be combined with continuous-flow heaters heaters.

Distance from centre of tap hole to wall min. 55 mm or to front edge of basin min. 40 mm.


| | |
|---|---|
| Chrome | 33 525 811-00 |
| Brushed Platinum | 33 525 811-06 |
| Dark Chrome | 33 525 811-19 |
| Brushed Durabrass (23kt Gold) | 33 525 811-28 |
| Brushed Dark Platinum | 33 525 811-99 |

DORN BRACHT


# CYO Single-lever basin mixer without pop-up waste - Chrome

CYO

33 525 811




## Flow rate chart




## Codes & Standards

| | | | |
|---|---|---|---|
| DIN 4109 | Executive Order no. 1007 | ISO 3822 | Scottish Water Byelaws |
| UK Water Supply Regulations | Ü-Zeichen | | |

# CYO Single-lever basin mixer without pop-up waste - Chrome



33 525 811

## Certificates and sustainability


GDV_0400 LGA_38 WRAS_2111

DORN BRACHT

# CYO Single-lever basin mixer without pop-up waste - Chrome

CYO

33 525 811




## Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|---|---|---|---|---|
| 3 | 90 15 05 044 00 90 | cartridge | 1.00 | 2 |
| 10 | 04 30 04 100 00 90 | hose | 2.00 | 2 |
| 6 | 09 20 80 024-00 | handle | 1.00 | 10 |
| 8 | 90 31 20 087 00-00 | plug | 1.00 | 10 |
| 1 | 90 11 70 013 01-00 | spout | 1.00 | 10 |
| 4 | 09 24 04 266 90 | nut | 1.00 | 2 |
| 5 | 09 28 30 021-00 | cover | 1.00 | 10 |
| 2 | 09 23 01 172 90 | flow reducer | 1.00 | 2 |
| 9 | 04 23 10 044 07 90 | fixing set | 1.00 | 2 |
| 7 | 90 31 11 030 00 90 | pin | 1.00 | 2 |

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com