TARA ULTRA BAR TAP Single-lever mixer - Brushed Durabrass (23kt Gold)

TARA ULTRA

33 805 875



- 166mm projection
- pivotable spout 360°
- laminar flow
- height of mixer 303 mm
- height up to laminar flow regulator 186 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Brushed Durabrass (23kt Gold)	33 805 875-28
Chrome	33 805 875-00
Brushed Platinum	33 805 875-06
Platinum	33 805 875-08
Durabrass (23kt Gold)	33 805 875-09
Dark Chrome	33 805 875-19
Matte Black	33 805 875-33
Brushed Champagne (22kt Gold)	33 805 875-46
Champagne (22kt Gold)	33 805 875-47
Brushed Chrome	33 805 875-93
Brushed Dark Platinum	33 805 875-99

Recommended miscellaneous



Strainer waste with control handle - Brushed Durabrass (23kt Gold) 10 712 970-28

Recommended miscellaneous




Dispenser without rosette - Brushed Durabrass (23kt Gold) 82 424 970-28

TARA ULTRA BAR TAP Single-lever mixer - Brushed Durabrass (23kt Gold)


TARA ULTRA

33 805 875





Flow rate chart




Certificates

LGA_18899.

TARA ULTRA BAR TAP Single-lever mixer - Brushed Durabrass (23kt Gold)

33 805 875

Parts for other finishes can be found here: Chrome



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 28 22 206 00-28	spout	1	20
2	90 23 01 067 00-28	aerator	1	20
3	09 31 11 008 90	pin	1	2
4	90 15 05 041 00 90	cartridge	1	2
5	09 24 04 130-07	nut	1	30
6	09 24 04 204-28	cover	1	20
7	90 31 20 109 00 90	plug	1	2
8	90 31 11 030 00 90	pin	1	2
9	09 20 88 051-28	handle	1	20
10	09 14 10 118 90	seal	1	2
11	09 27 85 001-28	rosette	1	20
12	04 30 11 038 64 90	fixing set	1	2
13	04 30 04 016 00 90	hose	2	60
14	09 31 11 011 90	pin	1	2
15	12 803 970 90	extension	1	60

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com