TARA BAR TAP Single-lever mixer - Chrome

TARA

33 805 888 Product version from 1/1/2025



- 166mm projection
- pivotable spout 360°
- laminar flow
- height of mixer 302 mm
- height up to laminar flow regulator 185 mm
- hole diameter 35 mm
- max. flow 8.3 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Chrome	33 805 888-00
Brushed Platinum	33 805 888-06
Platinum	33 805 888-08
Durabrass (23kt Gold)	33 805 888-09
Dark Chrome	33 805 888-19
Brushed Durabrass (23kt Gold)	33 805 888-28
Matte Black	33 805 888-33
Brushed Dark Brass	33 805 888-39
Brushed Bronze	33 805 888-42
Brushed Champagne (22kt Gold)	33 805 888-46
Champagne (22kt Gold)	33 805 888-47
Brushed Chrome	33 805 888-93
Brushed Dark Platinum	33 805 888-99

Recommended miscellaneous

Dispenser with rosette - Chrome 82 444 970-00



Recommended miscellaneous

Strainer waste with control handle - Chrome 10 710 970-00




DORN BRACHT


TARA BAR TAP Single-lever mixer - Chrome

TARA

33 805 888 Product version from 1/1/2025



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen

33 805 888 Product version from 1/1/2025


Certificates and sustainability

LGA_38 WRAS_240102

DORN BRACHT

TARA BAR TAP Single-lever mixer - Chrome

33 805 888 Product version from 1/1/2025



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
10	09 31 11 012 90	pin	1.00	2
9	09 27 85 001-00	rosette	1.00	10
5	09 28 30 021-00	cover	1.00	10
11	04 30 11 038 64 90	fixing set	1.00	2
1	90 28 22 393 00-00	spout	1.00	10
4	09 24 04 266 90	nut	1.00	2
7	04 30 04 105 00 90	hose	2.00	2
8	09 14 10 118 90	seal	1.00	2
6	90 20 66 003 00-00	handle	1.00	10
3	90 15 05 042 00 90	cartridge	1.00	2
2	09 31 11 008 90	pin	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com