# META Bath thermostat for wall mounting with hand shower set - Chrome

META

34 234 979 Product version from 7/1/2023



- spout: circular, air-enriched flow
- max. flow 16.9 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 60 mm
- 210mm projection
- 1/2" connection
- gauge 150 mm - 15 mm
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 57mm

Intrinsic protection against back flow.


| | |
|---|---|
| Chrome | 34 234 979-00 |
| Brushed Platinum | 34 234 979-06 |
| Dark Chrome | 34 234 979-19 |
| Light Gold | 34 234 979-26 |
| Brushed Light Gold | 34 234 979-27 |
| Matte Black | 34 234 979-33 |
| Brushed Dark Brass | 34 234 979-39 |
| Brushed Bronze | 34 234 979-42 |
| Brushed Chrome | 34 234 979-93 |
| Brushed Dark Platinum | 34 234 979-99 |

# META Bath thermostat for wall mounting with hand shower set - Chrome




34 234 979 Product version from 7/1/2023

mm [inches]




## Flow rate chart




## Codes & Standards

| | | | |
|---|---|---|---|
| DIN 4109 | EN 1717 | ISO 3822 | Ü-Zeichen |


## Certificates and sustainability

| | |
|---|---|
| LGA_18 | Belgaqua_21-032-2 |

# META Bath thermostat for wall mounting with hand shower set - Chrome

34 234 979 Product version from 7/1/2023

Parts for other finishes can be found here: Brushed Platinum




## Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|---|---|---|---|---|
| 4 | 28 019 979-00 | Hand shower - Chrome | 1.00 | - |
| | Spare part can no longer be ordered, please order the replacement item | | | |
| 2 | 28 050 920-00 | holder | 1.00 | 60 |
| 3 | 90 30 02 072 00-00 | Metal shower hose 1/2" x 3/8" x 1250 mm - Chrome | 1.00 | 10 |
| 1 | 34 201 979-00 | META Bath thermostat for wall mounting without shower set - Chrome | 1.00 | 10 |

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com