Concealed ceiling installation box for surface-mounted ceiling installation with light -

SERIES-VARIOUS

35 042 970 90 Product version from 4/1/2022



- concealed rough parts
- 2x female thread 1/2" connections
- Separate LED power supply
- Input LED power supply
- Input 100-240V AC 50-60Hz
- Output LED power supply
- 350mA (CC)
- Output specification LED power supply
- SELV (Safety Extra Low Voltage)
- Class 2
- Ceiling module power supply
- 350mA (CC)
- Supply pipe 7 m
- Provided by customer: Light switch

Environment:

- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- WRAS

Pre-assembly kit for three-way diverter included

Recommended miscellaneous



Leak protection 1/2" - 12 010 970 90
●This article is needed 2x.


DORN BRACHT

Concealed ceiling installation box for surface-mounted ceiling installation with light -

SERIES-VARIOUS

35 042 970 90 Product version from 4/1/2022

mm [inches]



Codes & Standards

Scottish Water Byelaws	UK Water Supply Regulations


Certificates and sustainability

WRAS_240502

Concealed ceiling installation box for surface-mounted ceiling installation with light -

SERIES-VARIOUS

35 042 970 90 Product version from 4/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 10 01 227 00 90	electronic accessories	1.00	14
2	90 10 01 257 00 90	electronic accessories	1.00	14
3	90 30 30 208 00 90	screw	1.00	14
4	90 17 20 239 00 90	flange	1.00	14