xTOOL Concealed thermostat module with 2 valves -

SERIES-VARIOUS

35 521 970 90



- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4" connections
- 1x female thread 3/4" outlet for additional valves
- 2x female thread 3/4" outlet, right/left alternatively
- 3x dust cover
- 3x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)
- WRAS

Recommended miscellaneous




Extension 28 mm - 12 177 970 90

Recommended miscellaneous



Extension 46 mm - 12 178 970 90

Recommended miscellaneous



Drybox Thermostat module with 2 valves - 39 521 970 90

●Overflow is part of the scope of delivery.

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous




xGRID Installation track 555 mm - 12 360 970 90

DORN BRACHT

xTOOL Concealed thermostat module with 2 valves -

SERIES-VARIOUS

35 521 970 90



Art Nr.	Serie	min	max
36xxx361-FF	Madison	85 [3 3/8"]	110 [4 3/8"]
36xxx371-FF	Madison	85 [3 3/8"]	110 [4 3/8"]
36xxx710-FF	LULU	85 [3 3/8"]	110 [4 3/8"]
36xxx809-FF	VAIA	85 [3 3/8"]	110 [4 3/8"]
36xxx819-FF	VAIA	85 [3 3/8"]	110 [4 3/8"]
36xxx882-FF	Tara	95 [3 3/4"]	160 [6 1/4"]
36xxx892-FF	Tara	95 [3 3/4"]	160 [6 1/4"]
36xxx811-FF	CYO	95 [3 3/4"]	160 [6 1/4"]
36xxx812-FF	CYO	95 [3 3/4"]	160 [6 1/4"]
36xxx740-FF	Meta/CL.1/ CYO	95 [3 3/4"]	160 [6 1/4"]
36xxx980-FF	Symetrics	95 [3 3/4"]	160 [6 1/4"]
36xxx985-FF	Symetrics	95 [3 3/4"]	160 [6 1/4"]
36xxx705-FF	CL.1	115 [4 1/2"]	155 [6 1/8"]
36xxx715-FF	CL.1	115 [4 1/2"]	155 [6 1/8"]
36xxx782-FF	MEM	115 [4 1/2"]	155 [6 1/8"]

Codes & Standards

EN 1111

EN 1717

Scottish Water Byelaws

UK Water Supply Regulations

XP P 41-280

Certificates and sustainability

Belgaqua_21-031-2

WRAS_2011

ACS_21 ACC LY


DVGW_DW-6512DN0

DORN BRACHT

xTOOL Concealed thermostat module with 2 valves -

SERIES-VARIOUS

35 521 970 90



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
5	04 31 20 100 00 90	plug	1.00	2
10	04 31 20 006 00 90	plug	2.00	2
3	04 21 34 077 00 90	nipple	2.00	2
14	04 30 31 054 00 90	fixing set	2.00	2
13	09 31 20 003 90	plug	4.00	2
11	09 21 02 173 90	cap	2.00	60
1	90 23 01 091 00 90	set	8.00	2
4	09 14 10 098 90	seal	2.00	2
12	09 14 10 009 90	seal	1.00	2
2	90 23 01 045 00 90	back-flow preventer	2.00	2
6	09 14 10 111 90	seal	1.00	2
8	04 21 02 174 01 90	cap	1.00	2
9	04 14 03 073 06 90	gasket kit	1.00	2
7	09 30 30 169 90	screw	4.00	60

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com