Wall valve 3/4" -

SERIES-VARIOUS

35 608 970 90



- red brass, lead-free
- female thread 3/4" connection
- 1x female thread 3/4" outlet
- dust cover
- anti-water packing
- soundproofing
- suitable for xGRID (when using installation track + 12 mm recess depth)
- WRAS

Recommended miscellaneous

	**Leak protection 3/4" -**	12 012 970 90


DORN BRACHT

Wall valve 3/4" -

SERIES-VARIOUS

35 608 970 90

mm [inches]



Serie	min	max
Madison	75 [3"]	145 [5 3/4"]
Madison Flair	75 [3"]	145 [5 3/4"]
Lulu	75 [3"]	145 [5 3/4"]
Vaia	75 [3"]	145 [5 3/4"]
Symetrics	75 [3"]	145 [5 3/4"]
Tara	85 [3 3/8"]	145 [5 3/4"]
Deque	85 [3 3/8"]	145 [5 3/4"]
CL1	105 [4 1/8"]	150 [5 7/8"]
Mem	105 [4 1/8"]	150 [5 7/8"]

Codes & Standards

Scottish Water Byelaws	UK Water Supply Regulations

Certificates and sustainability


WRAS_2010

DORN BRACHT

Wall valve 3/4" -

SERIES-VARIOUS

35 608 970 90



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	09 14 10 112 90	seal	1.00	2
6	04 17 20 100 00 90	fixing set	1.00	2
4	09 21 02 173 90	cap	1.00	60
8	09 30 30 152 90	screw	4.00	2
1	04 30 31 024 01 90	fixing set	2.00	2
7	09 17 20 100 90	holder	2.00	60
3	09 31 20 003 90	plug	1.00	2
5	04 14 03 072 01 90	gasket kit	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com