DORN BRACHT

Concealed single-lever mixer with cover plate with integrated shower connection - Chrome

SERIES SPECIFIC

36 046 970 Product version from 4/1/2024



- cover plate 80 x 80 mm

Intrinsic protection against back flow.

Intrinsic protection against back flow.

Chrome	36 046 970-00
Brushed Platinum	36 046 970-06
Platinum	36 046 970-08
Dark Chrome	36 046 970-19
Brushed Light Gold	36 046 970-27
Brushed Durabrass (23kt Gold)	36 046 970-28
Matte Black	36 046 970-33
Brushed Dark Brass	36 046 970-39
Brushed Champagne (22kt Gold)	36 046 970-46
Champagne (22kt Gold)	36 046 970-47
Brushed Chrome	36 046 970-93
Brushed Dark Platinum	36 046 970-99

Required miscellaneous




Concealed wall mounting - 35 050 970 90
- min. recess depth 80 mm
- max. recess depth 105 mm

DORN BRACHT


Concealed single-lever mixer with cover plate with integrated shower connection - Chrome

SERIES SPECIFIC

36 046 970 Product version from 4/1/2024



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Ü-Zeichen

Concealed single-lever mixer with cover plate with integrated shower connection - Chrome

36 046 970 Product version from 4/1/2024

Certificates and sustainability


LGA_38

DORN BRACHT

Concealed single-lever mixer with cover plate with integrated shower connection - Chrome

SERIES SPECIFIC

36 046 970 Product version from 4/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
4	90 24 01 046 00 90	connection	2.00	2
15	90 21 02 069 00-00	cover	1.00	10
8	09 24 04 266 90	nut	1.00	2
9	09 14 10 120 90	seal	1.00	2
5	09 14 10 111 90	seal	1.00	2
3	09 31 11 144 90	pin	1.00	2
12	09 23 01 131 90	back-flow preventer	1.00	2
10	09 28 30 041-00	cover	1.00	10
14	09 24 03 281-00	nipple	1.00	10
7	90 15 05 044 00 90	cartridge	1.00	2
1	90 30 11 232 00 90	disc	1.00	2
2	90 27 97 046 00-00	rosette	1.00	10
13	90 14 10 021 00 90	seal	1.00	2
6	90 18 40 320 00-00	sleeve	1.00	10
16	90 30 30 229 00 90	screw	2.00	2
11	09 20 97 063-00	handle	1.00	10

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com