DORN BRACHT

Concealed single-lever mixer with diverter - Chrome

SERIES SPECIFIC

36 120 670 Product version up to 3/15/2019



- automatic diverter
- cover plate 150 x 90 mm
- WRAS

Chrome	36 120 670-00
Brushed Platinum	36 120 670-06
Platinum	36 120 670-08
Dark Chrome	36 120 670-19
Brushed Light Gold	36 120 670-27
Brushed Durabrass (23kt Gold)	36 120 670-28
Matte Black	36 120 670-33
Brushed Dark Brass	36 120 670-39
Brushed Champagne (22kt Gold)	36 120 670-46
Champagne (22kt Gold)	36 120 670-47
Brushed Chrome	36 120 670-93
Brushed Dark Platinum	36 120 670-99

Required miscellaneous



Concealed single-lever mixer - 35 020 970 90
- max. recess depth 105 mm
- min. recess depth 80 mm

Required miscellaneous



Concealed single-lever mixer with backflow preventor - 35 021 970 90
- max. recess depth 105 mm
- min. recess depth 80 mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous




xGRID Installation track 555 mm - 12 360 970 90

Concealed single-lever mixer with diverter - Chrome


SERIES SPECIFIC

36 120 670 Product version up to 3/15/2019

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen

Concealed single-lever mixer with diverter - Chrome

SERIES SPECIFIC

36 120 670 Product version up to 3/15/2019

Certificates and sustainability


LGA_19 WRAS_2207

DORN BRACHT

Concealed single-lever mixer with diverter - Chrome

SERIES SPECIFIC

36 120 670 Product version up to 3/15/2019



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
6	09 11 02 260-00	sleeve	1.00	10
5	09 11 02 258-00	plate	1.00	10
11	90 21 34 081 00 90	diverter	1.00	2
10	90 31 09 139 00-00	pull-rod	1.00	10
3	09 24 04 448 90	nut	1.00	2
2	04 28 10 149 00 90	accessories	1.00	2
7	09 20 67 007-00	handle	1.00	10
4	09 14 10 084 90	seal	1.00	2
8	09 31 11 099 90	pin	1.00	2
1	90 15 05 038 00 90	cartridge	1.00	60
9	90 31 20 109 00 90	plug	1.00	2
12	90 30 09 064 00 90	key	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com