LISSÉ Concealed single-lever mixer with diverter - Chrome

36 120 845 Product version from 3/9/2016 to 2/20/2020



- automatic diverter
- cover plate 150 x 90 mm
- WRAS

Chrome	36 120 845-00
Brushed Platinum	36 120 845-06
Dark Chrome	36 120 845-19
Brushed Light Gold	36 120 845-27
Matte Black	36 120 845-33
Brushed Chrome	36 120 845-93
Brushed Dark Platinum	36 120 845-99

Required miscellaneous



Concealed single-lever mixer with backflow preventor - 35 021 970 90
- max. recess depth 105 mm
- min. recess depth 80 mm

Required miscellaneous



Concealed single-lever mixer - 35 020 970 90
- max. recess depth 105 mm
- min. recess depth 80 mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90


Required miscellaneous




xGRID Installation track 555 mm - 12 360 970 90

LISSÉ Concealed single-lever mixer with diverter - Chrome

36 120 845 Product version from 3/9/2016 to 2/20/2020



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen

LISSÉ Concealed single-lever mixer with diverter - Chrome


36 120 845 Product version from 3/9/2016 to 2/20/2020

Certificates and sustainability

LGA_19 WRAS_2207

LISSÉ Concealed single-lever mixer with diverter - Chrome

36 120 845 Product version from 3/9/2016 to 2/20/2020



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	09 14 10 084 90	seal	1.00	2
9	90 31 09 139 00-00	pull-rod	1.00	10
1	90 15 05 039 00 90	cartridge	1.00	2
4	09 11 02 301-00	plate	1.00	10
5	09 11 02 260-00	sleeve	1.00	10
10	90 21 34 081 00 90	diverter	1.00	2
8	90 31 20 087 00-00	plug	1.00	10
6	09 20 84 022-00	handle	1.00	10
2	09 24 04 448 90	nut	1.00	2
11	90 30 09 064 00 90	key	1.00	2
7	90 31 11 030 00 90	pin	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com