LULU Concealed single-lever mixer with diverter - Chrome

LULU

36 122 710



- automatic diverter
- cover plate 150 x 90 mm

	Chrome	36 122 710-00
	Brushed Platinum	36 122 710-06

Required miscellaneous



Concealed single-lever mixer with backflow preventor - 35 021 970 90
- max. recess depth 105 mm
- min. recess depth 80 mm

Required miscellaneous



Concealed single-lever mixer - 35 020 970 90
- max. recess depth 105 mm
- min. recess depth 80 mm

Required miscellaneous



xGRID Installation track 555 mm - 12 360 970 90

Recommended miscellaneous




xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90


LULU Concealed single-lever mixer with diverter - Chrome

36 122 710

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Ü-Zeichen

LULU Concealed single-lever mixer with diverter - Chrome

36 122 710


Certificates and sustainability

LGA_29

DORN BRACHT

LULU Concealed single-lever mixer with diverter - Chrome

36 122 710



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
7	09 31 11 099 90	pin	1.00	2
10	90 21 34 081 00 90	diverter	1.00	2
2	09 24 04 448 90	nut	1.00	2
6	09 20 80 023-00	handle	1.00	60
9	90 31 09 139 00-00	pull-rod	1.00	10
5	09 11 02 260-00	sleeve	1.00	10
8	90 31 20 087 00-00	plug	1.00	10
3	09 14 10 084 90	seal	1.00	2
4	09 11 02 328-00	plate	1.00	10
1	90 15 05 039 00 90	cartridge	1.00	2
11	90 30 09 064 00 90	key	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com